

**Table A2.1**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Registry as a whole. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	2	0	1	3	0	0	1	0	0	1	0
5 - 9	0	0	1	0	0	0	2	1	16	34	21	29	25	4	1	1
10 - 14	1	0	0	4	2	4	2	4	11	18	25	54	58	90	73	73
15 - 19	1	2	0	6	3	8	5	2	6	18	15	34	37	38	39	40
20 - 24	7	7	4	3	8	4	7	14	9	16	21	23	38	30	33	32
25 - 29	21	16	12	19	18	23	23	14	16	25	22	31	46	44	44	47
30 - 34	14	19	16	21	29	23	22	32	28	51	42	65	62	75	45	54
35 - 39	11	14	14	23	23	33	34	29	32	47	71	93	77	109	84	99
40 - 44	24	18	12	15	15	28	35	32	47	56	75	107	95	106	123	127
45 - 49	16	25	23	30	30	30	22	20	32	25	57	65	89	122	145	138
50 - 54	40	24	21	26	30	49	42	36	50	50	59	64	81	63	75	94
55 - 59	27	22	29	23	25	48	49	40	44	55	55	88	97	96	117	114
60 - 64	16	22	25	29	30	48	44	49	48	43	67	69	65	76	85	108
65 - 69	16	19	18	18	12	22	32	31	35	36	42	80	61	73	82	87
70 - 74	21	18	12	13	25	22	13	20	18	17	31	40	39	44	50	54
75 - 79	10	9	9	11	9	13	19	18	15	21	16	19	26	17	16	17
80 - 84	3	6	10	9	14	9	11	5	8	12	10	13	14	13	10	8
85+	6	2	3	2	0	3	2	4	4	3	7	4	5	7	4	7

**Table A2.2**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Registry as a whole. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0
5 - 9	0	0	0	0	0	0	1	1	7	12	9	5	10	1	1	0
10 - 14	1	0	0	0	1	3	1	2	5	6	14	12	23	43	27	32
15 - 19	0	0	0	2	1	0	2	0	3	7	8	15	8	8	12	13
20 - 24	1	1	0	0	2	1	0	5	1	2	5	1	4	7	4	11
25 - 29	5	3	2	3	5	5	5	3	2	2	3	3	8	5	8	6
30 - 34	2	2	2	5	3	3	4	4	1	12	6	7	9	13	5	8
35 - 39	3	2	1	2	6	5	4	2	8	8	15	14	11	14	11	15
40 - 44	2	3	1	1	2	4	6	4	12	10	11	14	12	18	14	18
45 - 49	6	3	1	6	7	4	1	1	5	4	12	4	13	18	22	19
50 - 54	8	5	1	8	6	8	7	8	15	7	9	4	12	5	10	12
55 - 59	5	2	6	4	7	10	8	7	10	12	12	16	20	17	16	17
60 - 64	2	5	6	7	7	6	10	5	8	5	12	12	12	19	13	15
65 - 69	4	2	7	6	3	5	7	8	8	7	5	16	10	9	16	12
70 - 74	6	2	2	1	4	2	4	6	5	4	6	7	4	8	10	11
75 - 79	2	0	2	0	1	0	5	1	3	5	4	2	2	1	1	2
80 - 84	0	1	2	2	2	3	1	0	2	0	0	2	2	3	1	1
85+	2	0	2	0	0	0	0	1	1	2	0	1	1	0	0	1

**Table A2.3**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Registry as a whole. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	1	2	0	0	1	0	0	0	0
5 - 9	0	0	1	0	0	0	1	0	9	22	12	24	15	3	0	1
10 - 14	0	0	0	4	1	1	1	2	6	12	11	42	35	47	46	41
15 - 19	1	2	0	4	2	8	3	2	3	11	7	19	29	30	27	27
20 - 24	6	6	4	3	6	3	7	9	8	14	16	22	34	23	29	21
25 - 29	16	13	10	16	13	18	18	11	14	23	19	28	38	39	36	41
30 - 34	12	17	14	16	26	20	18	28	27	39	36	58	53	62	40	46
35 - 39	8	12	13	21	17	28	30	27	24	39	56	79	66	95	73	84
40 - 44	22	15	11	14	13	24	29	28	35	46	64	93	83	88	109	109
45 - 49	10	22	22	24	23	26	21	19	27	21	45	61	76	104	123	119
50 - 54	32	19	20	18	24	41	35	28	35	43	50	60	69	58	65	82
55 - 59	22	20	23	19	18	38	41	33	34	43	43	72	77	79	101	97
60 - 64	14	17	19	22	23	42	34	44	40	38	55	57	53	57	72	93
65 - 69	12	17	11	12	9	17	25	23	27	29	37	64	51	64	66	75
70 - 74	15	16	10	12	21	20	9	14	13	13	25	33	35	36	40	43
75 - 79	8	9	7	11	8	13	14	17	12	16	12	17	24	16	15	15
80 - 84	3	5	8	7	12	6	10	5	6	12	10	11	12	10	9	7
85+	4	2	1	2	0	3	2	3	3	1	7	3	4	7	4	6

**Table A2.4**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Republic of Belarus. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	2	0	1	3	0	0	1	0	0	0	0
5 - 9	0	0	0	0	0	0	2	1	15	32	18	28	23	4	0	1
10 - 14	1	0	0	4	2	3	2	3	8	16	24	53	48	76	66	64
15 - 19	1	2	0	4	1	6	3	2	4	15	13	26	23	31	31	27
20 - 24	4	4	4	3	6	3	5	6	6	9	15	15	27	19	22	22
25 - 29	14	9	9	11	7	15	14	8	7	14	12	17	29	25	30	32
30 - 34	9	12	10	13	15	15	15	18	20	37	21	41	45	53	29	34
35 - 39	5	6	9	10	16	11	16	7	16	29	49	55	47	68	53	63
40 - 44	15	9	6	6	10	16	20	16	25	38	34	68	67	61	65	88
45 - 49	6	15	13	18	16	14	8	10	20	11	43	38	48	64	93	80
50 - 54	23	11	11	13	16	22	20	21	27	31	28	32	54	35	49	58
55 - 59	13	11	19	15	10	23	25	24	23	27	34	56	58	58	65	76
60 - 64	8	15	16	17	17	25	29	25	32	22	36	36	40	42	56	64
65 - 69	10	12	14	14	7	16	16	20	23	24	17	39	40	38	40	47
70 - 74	14	14	10	9	16	13	7	13	13	13	20	27	24	21	30	29
75 - 79	5	7	5	4	3	11	13	8	11	10	9	12	16	11	10	8
80 - 84	2	5	8	5	8	6	7	4	7	5	7	10	9	7	5	4
85+	6	2	3	2	0	2	2	4	2	2	6	2	2	5	2	6

**Table A2.5**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Republic of Belarus. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	1	1	7	12	9	4	10	1	0	0
10 - 14	1	0	0	0	1	2	1	2	4	5	14	12	18	35	24	28
15 - 19	0	0	0	1	0	0	2	0	3	5	7	13	6	8	9	12
20 - 24	1	1	0	0	2	0	0	4	1	0	3	0	3	3	4	9
25 - 29	4	3	2	1	1	3	4	1	2	1	1	1	4	4	6	3
30 - 34	0	1	1	3	2	2	3	3	1	8	2	7	8	11	4	4
35 - 39	2	1	1	1	5	3	2	0	6	3	11	8	7	9	7	11
40 - 44	1	2	0	1	2	3	3	2	7	8	6	12	6	8	8	9
45 - 49	2	3	1	5	4	4	0	1	4	2	9	3	5	9	14	12
50 - 54	6	2	1	2	5	3	4	7	9	6	5	2	7	3	5	7
55 - 59	3	0	5	2	5	3	4	4	5	5	8	12	15	11	7	9
60 - 64	1	3	3	5	3	5	6	1	5	3	3	7	8	13	9	7
65 - 69	2	2	6	5	2	1	5	6	8	6	3	7	7	3	11	6
70 - 74	5	2	2	1	4	2	4	4	4	4	5	7	4	5	7	8
75 - 79	1	0	1	0	0	0	5	1	2	3	4	1	2	1	1	0
80 - 84	0	1	2	2	2	3	1	0	1	0	0	2	2	1	1	1
85+	2	0	2	0	0	0	0	1	1	2	0	1	1	0	0	1

**Table A2.6**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Republic of Belarus. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	1	2	0	0	1	0	0	0	0
5 - 9	0	0	0	0	0	0	1	0	8	20	9	24	13	3	0	1
10 - 14	0	0	0	4	1	1	1	1	4	11	10	41	30	41	42	36
15 - 19	1	2	0	3	1	6	1	2	1	10	6	13	17	23	22	15
20 - 24	3	3	4	3	4	3	5	2	5	9	12	15	24	16	18	13
25 - 29	10	6	7	10	6	12	10	7	5	13	11	16	25	21	24	29
30 - 34	9	11	9	10	13	13	12	15	19	29	19	34	37	42	25	30
35 - 39	3	5	8	9	11	8	14	7	10	26	38	47	40	59	46	52
40 - 44	14	7	6	5	8	13	17	14	18	30	28	56	61	53	57	79
45 - 49	4	12	12	13	12	10	8	9	16	9	34	35	43	55	79	68
50 - 54	17	9	10	11	11	19	16	14	18	25	23	30	47	32	44	51
55 - 59	10	11	14	13	5	20	21	20	18	22	26	44	43	47	58	67
60 - 64	7	12	13	12	14	20	23	24	27	19	33	29	32	29	47	57
65 - 69	8	10	8	9	5	15	11	14	15	18	14	32	33	35	29	41
70 - 74	9	12	8	8	12	11	3	9	9	9	15	20	20	16	23	21
75 - 79	4	7	4	4	3	11	8	7	9	7	5	11	14	10	9	8
80 - 84	2	4	6	3	6	3	6	4	6	5	7	8	7	6	4	3
85+	4	2	1	2	0	2	2	3	1	0	6	1	1	5	2	5

**Table A2.7**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**4 oblasts of Russia. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
5 - 9	0	0	1	0	0	0	0	0	1	2	3	1	2	0	1	0
10 - 14	0	0	0	0	0	1	0	1	3	2	1	1	10	14	7	9
15 - 19	0	0	0	2	2	2	2	0	2	3	2	8	14	7	8	13
20 - 24	3	3	0	0	2	1	2	8	3	7	6	8	11	11	11	10
25 - 29	7	7	3	8	11	8	9	6	9	11	10	14	17	19	14	15
30 - 34	5	7	6	8	14	8	7	14	8	14	21	24	17	22	16	20
35 - 39	6	8	5	13	7	22	18	22	16	18	22	38	30	41	31	36
40 - 44	9	9	6	9	5	12	15	16	22	18	41	39	28	45	58	39
45 - 49	10	10	10	12	14	16	14	10	12	14	14	27	41	58	52	58
50 - 54	17	13	10	13	14	27	22	15	23	19	31	32	27	28	26	36
55 - 59	14	11	10	8	15	25	24	16	21	28	21	32	39	38	52	38
60 - 64	8	7	9	12	13	23	15	24	16	21	31	33	25	34	29	44
65 - 69	6	7	4	4	5	6	16	11	12	12	25	41	21	35	42	40
70 - 74	7	4	2	4	9	9	6	7	5	4	11	13	15	23	20	25
75 - 79	5	2	4	7	6	2	6	10	4	11	7	7	10	6	6	9
80 - 84	1	1	2	4	6	3	4	1	1	7	3	3	5	6	5	4
85+	0	0	0	0	0	1	0	0	2	1	1	2	3	2	2	1

**Table A2.8**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**4 oblasts of Russia. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
10 - 14	0	0	0	0	0	1	0	0	1	1	0	0	5	8	3	4
15 - 19	0	0	0	1	1	0	0	0	0	2	1	2	2	0	3	1
20 - 24	0	0	0	0	0	1	0	1	0	2	2	1	1	4	0	2
25 - 29	1	0	0	2	4	2	1	2	0	1	2	2	4	1	2	3
30 - 34	2	1	1	2	1	1	1	1	0	4	4	0	1	2	1	4
35 - 39	1	1	0	1	1	2	2	2	2	5	4	6	4	5	4	4
40 - 44	1	1	1	0	0	1	3	2	5	2	5	2	6	10	6	9
45 - 49	4	0	0	1	3	0	1	0	1	2	3	1	8	9	8	7
50 - 54	2	3	0	6	1	5	3	1	6	1	4	2	5	2	5	5
55 - 59	2	2	1	2	2	7	4	3	5	7	4	4	5	6	9	8
60 - 64	1	2	3	2	4	1	4	4	3	2	9	5	4	6	4	8
65 - 69	2	0	1	1	1	4	2	2	0	1	2	9	3	6	5	6
70 - 74	1	0	0	0	0	0	0	2	1	0	1	0	0	3	3	3
75 - 79	1	0	1	0	1	0	0	0	1	2	0	1	0	0	0	2
80 - 84	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



**Table A2.9**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**4 oblasts of Russia. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	1	0	0	0	0	0	1	2	3	0	2	0	0	0
10 - 14	0	0	0	0	0	0	0	1	2	1	1	1	5	6	4	5
15 - 19	0	0	0	1	1	2	2	0	2	1	1	6	12	7	5	12
20 - 24	3	3	0	0	2	0	2	7	3	5	4	7	10	7	11	8
25 - 29	6	7	3	6	7	6	8	4	9	10	8	12	13	18	12	12
30 - 34	3	6	5	6	13	7	6	13	8	10	17	24	16	20	15	16
35 - 39	5	7	5	12	6	20	16	20	14	13	18	32	26	36	27	32
40 - 44	8	8	5	9	5	11	12	14	17	16	36	37	22	35	52	30
45 - 49	6	10	10	11	11	16	13	10	11	12	11	26	33	49	44	51
50 - 54	15	10	10	7	13	22	19	14	17	18	27	30	22	26	21	31
55 - 59	12	9	9	6	13	18	20	13	16	21	17	28	34	32	43	30
60 - 64	7	5	6	10	9	22	11	20	13	19	22	28	21	28	25	36
65 - 69	4	7	3	3	4	2	14	9	12	11	23	32	18	29	37	34
70 - 74	6	4	2	4	9	9	6	5	4	4	10	13	15	20	17	22
75 - 79	4	2	3	7	5	2	6	10	3	9	7	6	10	6	6	7
80 - 84	1	1	2	4	6	3	4	1	0	7	3	3	5	4	5	4
85+	0	0	0	0	0	1	0	0	2	1	1	2	3	2	2	1

**Table A2.10**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Brest oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	5	2	1	11	6	0	0	0
10 - 14	0	0	0	1	0	0	0	0	1	2	4	15	12	20	16	15
15 - 19	0	0	0	0	0	0	0	0	0	3	1	5	6	10	9	3
20 - 24	1	0	0	1	0	0	0	0	0	0	0	2	3	3	5	1
25 - 29	0	0	1	1	0	1	1	1	1	1	0	3	3	1	3	6
30 - 34	3	0	3	2	2	1	3	0	0	4	2	4	5	8	4	4
35 - 39	1	1	1	3	3	2	1	1	1	3	2	7	3	10	6	12
40 - 44	2	0	1	1	2	2	3	3	3	3	2	9	6	6	11	7
45 - 49	0	1	0	3	0	0	0	0	1	0	1	6	8	6	20	12
50 - 54	2	0	2	1	3	0	3	3	4	1	6	5	5	3	4	11
55 - 59	1	1	1	3	1	1	6	1	1	3	2	6	5	6	9	8
60 - 64	1	0	2	0	2	6	1	4	3	4	3	4	4	8	6	10
65 - 69	1	0	0	1	2	1	0	0	4	2	3	4	3	5	9	10
70 - 74	2	1	1	0	1	1	1	1	0	1	1	3	3	1	1	5
75 - 79	0	0	0	0	0	1	2	1	2	2	0	1	2	0	2	2
80 - 84	1	0	1	1	2	0	1	0	0	0	1	2	1	1	0	0
85+	0	0	0	0	0	0	1	0	0	1	0	0	1	1	0	2

**Table A2.11**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Brest oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	2	0	1	1	4	0	0	0
10 - 14	0	0	0	0	0	0	0	0	1	1	2	4	4	5	4	7
15 - 19	0	0	0	0	0	0	0	0	0	2	0	4	2	3	3	1
20 - 24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
25 - 29	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2	0
30 - 34	0	0	1	0	0	0	0	0	0	1	0	0	2	2	2	0
35 - 39	0	0	0	1	2	0	0	0	1	1	0	1	1	0	1	2
40 - 44	0	0	0	0	0	1	0	1	2	1	0	1	0	0	2	1
45 - 49	0	0	0	1	0	0	0	0	0	0	0	0	1	0	5	1
50 - 54	1	0	0	0	0	0	1	1	0	0	1	0	2	0	0	1
55 - 59	1	0	0	2	1	0	2	0	0	0	1	1	2	1	0	1
60 - 64	0	0	1	0	0	2	1	0	1	1	0	1	0	2	0	2
65 - 69	0	0	0	0	1	0	0	0	1	1	0	0	1	2	1	0
70 - 74	0	1	0	0	0	0	1	1	0	0	1	1	1	0	0	1
75 - 79	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
80 - 84	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

**Table A2.12**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Brest oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	3	2	0	10	2	0	0	0
10 - 14	0	0	0	1	0	0	0	0	0	1	2	11	8	15	12	8
15 - 19	0	0	0	0	0	0	0	0	0	1	1	1	4	7	6	2
20 - 24	1	0	0	1	0	0	0	0	0	0	0	2	3	3	4	1
25 - 29	0	0	1	1	0	1	0	1	1	1	0	3	3	0	1	6
30 - 34	3	0	2	2	2	1	3	0	0	3	2	4	3	6	2	4
35 - 39	1	1	1	2	1	2	1	1	0	2	2	6	2	10	5	10
40 - 44	2	0	1	1	2	1	3	2	1	2	2	8	6	6	9	6
45 - 49	0	1	0	2	0	0	0	0	1	0	1	6	7	6	15	11
50 - 54	1	0	2	1	3	0	2	2	4	1	5	5	3	3	4	10
55 - 59	0	1	1	1	0	1	4	1	1	3	1	5	3	5	9	7
60 - 64	1	0	1	0	2	4	0	4	2	3	3	3	4	6	6	8
65 - 69	1	0	0	1	1	1	0	0	3	1	3	4	2	3	8	10
70 - 74	2	0	1	0	1	1	0	0	0	1	0	2	2	1	1	4
75 - 79	0	0	0	0	0	1	2	1	2	1	0	0	2	0	2	2
80 - 84	1	0	1	0	1	0	1	0	0	0	1	2	1	1	0	0
85+	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1

**Table A2.13**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Vitebsk oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0	1
10 - 14	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1
15 - 19	0	1	0	0	1	2	0	0	0	1	1	1	0	1	1	0
20 - 24	0	0	1	0	0	2	4	1	1	0	5	0	2	1	4	3
25 - 29	3	1	1	0	0	1	1	1	1	4	3	5	2	7	2	3
30 - 34	0	2	2	1	1	0	1	5	3	3	2	5	2	2	5	6
35 - 39	0	0	2	0	4	1	6	1	2	8	5	3	1	6	5	7
40 - 44	3	1	0	2	3	1	2	1	4	5	3	10	7	5	4	12
45 - 49	0	2	2	2	4	4	3	2	4	2	6	10	8	8	16	15
50 - 54	8	1	1	2	0	2	1	5	7	6	6	5	5	4	6	6
55 - 59	5	3	3	2	0	4	2	7	5	4	5	7	10	7	9	15
60 - 64	1	2	2	1	2	7	3	7	7	2	3	5	5	4	7	13
65 - 69	3	1	2	1	1	1	7	4	5	3	2	5	4	10	5	15
70 - 74	4	2	2	2	2	0	0	2	1	2	6	4	4	4	9	6
75 - 79	1	1	1	1	1	1	2	0	2	1	2	1	2	3	2	2
80 - 84	0	0	2	2	2	2	1	0	3	1	2	1	1	1	1	1
85+	2	2	1	0	0	0	0	1	1	0	0	2	0	0	1	0

**Table A2.14**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Vitebsk oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
15 - 19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20 - 24	0	0	0	0	0	0	0	1	0	0	2	0	0	0	1	1
25 - 29	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 34	0	0	0	1	0	0	0	0	0	0	0	2	0	0	0	1
35 - 39	0	0	0	0	1	0	1	0	0	0	2	0	0	0	1	2
40 - 44	1	0	0	1	1	0	0	0	2	1	0	3	1	0	1	1
45 - 49	0	1	0	0	0	0	0	0	0	0	2	0	0	2	1	1
50 - 54	1	0	0	1	0	0	0	2	2	2	0	0	2	1	0	1
55 - 59	1	0	0	0	0	1	0	0	0	0	0	1	1	1	1	1
60 - 64	0	0	1	0	0	1	1	0	1	0	1	1	1	1	0	2
65 - 69	0	0	2	0	0	0	1	1	3	1	0	0	1	0	1	2
70 - 74	2	1	0	0	0	0	0	2	1	0	1	2	1	4	0	2
75 - 79	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0	0
80 - 84	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	0
85+	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0

**Table A2.15**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Vitebsk oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	1
10 - 14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15 - 19	0	1	0	0	1	2	0	0	0	1	1	1	0	1	1	0
20 - 24	0	0	1	0	0	2	4	0	1	0	3	0	2	1	3	2
25 - 29	2	1	0	0	0	1	1	1	1	4	3	5	2	7	2	3
30 - 34	0	2	2	0	1	0	1	5	3	3	2	3	2	2	5	5
35 - 39	0	0	2	0	3	1	5	1	2	8	3	3	1	6	4	5
40 - 44	2	1	0	1	2	1	2	1	2	4	3	7	6	5	3	11
45 - 49	0	1	2	2	4	4	3	2	4	2	4	10	8	6	15	14
50 - 54	7	1	1	1	0	2	1	3	5	4	6	5	3	3	6	5
55 - 59	4	3	3	2	0	3	2	7	5	4	5	6	9	6	8	14
60 - 64	1	2	1	1	2	6	2	7	6	2	2	4	4	3	7	11
65 - 69	3	1	0	1	1	1	6	3	2	2	2	5	3	10	4	13
70 - 74	2	1	2	2	2	0	0	0	0	2	5	2	3	0	9	4
75 - 79	1	1	1	1	1	1	1	0	1	1	1	1	2	2	2	2
80 - 84	0	0	1	1	1	1	0	0	3	1	2	1	1	1	1	1
85+	2	2	0	0	0	0	0	1	0	0	0	1	0	0	1	0

**Table A2.16**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Gomel oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	1	2	0	0	1	0	0	0	0
5 - 9	0	0	0	0	0	0	1	1	8	23	7	7	10	4	0	0
10 - 14	0	0	0	0	1	1	0	0	3	10	12	26	25	35	36	28
15 - 19	1	0	0	2	0	3	1	2	2	8	4	10	11	13	13	15
20 - 24	1	1	0	0	3	0	0	1	1	3	4	3	6	3	3	9
25 - 29	2	3	2	1	2	4	4	1	1	5	7	4	6	6	7	7
30 - 34	2	1	1	2	3	5	6	3	3	7	3	9	5	9	7	7
35 - 39	1	0	3	1	6	3	3	2	3	4	11	13	11	9	11	13
40 - 44	6	1	2	1	0	4	1	2	5	9	6	16	13	16	13	18
45 - 49	3	2	1	5	1	5	3	3	5	3	2	3	7	14	12	10
50 - 54	4	0	3	1	4	6	5	5	5	6	7	9	6	5	14	8
55 - 59	1	1	3	3	2	5	3	6	8	3	10	17	11	14	12	20
60 - 64	4	2	1	6	3	9	6	4	8	4	7	5	6	4	13	11
65 - 69	2	1	4	4	1	3	2	4	2	6	5	11	12	2	7	7
70 - 74	3	2	3	1	1	1	1	3	2	1	3	7	6	7	3	5
75 - 79	0	0	2	1	0	2	2	4	1	3	2	4	1	1	1	1
80 - 84	0	0	0	0	1	1	3	1	1	1	2	3	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0



**Table A2.17**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Gomel oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	1	5	8	3	2	3	1	0	0
10 - 14	0	0	0	0	0	1	0	0	1	2	9	6	10	19	11	11
15 - 19	0	0	0	1	0	0	1	0	1	2	4	7	1	3	3	6
20 - 24	0	1	0	0	2	0	0	1	0	0	0	0	1	1	1	5
25 - 29	1	0	1	0	0	1	1	1	0	1	1	0	2	0	2	2
30 - 34	0	1	0	0	1	0	1	1	0	3	1	0	0	1	1	2
35 - 39	1	0	0	0	2	1	1	0	1	2	4	1	2	2	2	1
40 - 44	0	0	0	0	0	1	1	0	1	1	1	2	1	4	2	2
45 - 49	1	0	0	3	0	2	0	0	1	1	0	0	2	1	2	2
50 - 54	2	0	1	0	2	2	0	2	1	1	1	1	1	0	1	1
55 - 59	0	0	0	0	0	0	0	1	1	1	4	1	2	4	1	3
60 - 64	1	1	0	3	1	1	2	1	1	0	0	0	1	1	4	2
65 - 69	2	0	1	1	1	0	1	2	1	1	1	3	3	0	2	1
70 - 74	1	0	1	1	0	0	0	0	0	1	1	2	1	0	2	1
75 - 79	0	0	1	0	0	0	2	1	1	1	0	0	0	0	0	0
80 - 84	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Table A2.18**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Gomel oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	1	1	0	0	1	0	0	0	0
5 - 9	0	0	0	0	0	0	1	0	3	15	4	5	7	3	0	0
10 - 14	0	0	0	0	1	0	0	0	2	8	3	20	15	16	25	17
15 - 19	1	0	0	1	0	3	0	2	1	6	0	3	10	10	10	9
20 - 24	1	0	0	0	1	0	0	0	1	3	4	3	5	2	2	4
25 - 29	1	3	1	1	2	3	3	0	1	4	6	4	4	6	5	5
30 - 34	2	0	1	2	2	5	5	2	3	4	2	9	5	8	6	5
35 - 39	0	0	3	1	4	2	2	2	2	2	7	12	9	7	9	12
40 - 44	6	1	2	1	0	3	0	2	4	8	5	14	12	12	11	16
45 - 49	2	2	1	2	1	3	3	3	4	2	2	3	5	13	10	8
50 - 54	2	0	2	1	2	4	5	3	4	5	6	8	5	5	13	7
55 - 59	1	1	3	3	2	5	3	5	7	2	6	16	9	10	11	17
60 - 64	3	1	1	3	2	8	4	3	7	4	7	5	5	3	9	9
65 - 69	0	1	3	3	0	3	1	2	1	5	4	8	9	2	5	6
70 - 74	2	2	2	0	1	1	1	3	2	0	2	5	5	7	1	4
75 - 79	0	0	1	1	0	2	0	3	0	2	2	4	1	1	1	1
80 - 84	0	0	0	0	1	0	3	1	1	1	2	2	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0

**Table A2.19**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Grodno oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	1	0	0	1	0	2	2	0	0	0
10 - 14	1	0	0	0	1	1	0	2	0	1	2	3	2	4	4	4
15 - 19	0	1	0	0	0	0	0	0	0	3	3	1	3	0	3	2
20 - 24	0	0	0	0	1	1	0	1	0	0	4	2	3	1	3	0
25 - 29	0	0	0	3	2	4	1	1	0	2	1	0	4	4	0	2
30 - 34	0	3	1	0	2	3	0	2	4	7	3	4	9	6	4	2
35 - 39	0	1	0	0	0	2	0	1	2	4	2	5	8	4	4	2
40 - 44	0	0	0	1	0	2	2	1	3	2	6	7	5	5	3	6
45 - 49	0	0	0	3	3	0	0	0	2	0	8	3	4	8	4	2
50 - 54	1	0	1	2	0	3	0	3	1	1	1	3	14	0	2	3
55 - 59	1	1	3	1	3	3	2	2	2	4	2	4	8	5	5	0
60 - 64	0	1	4	1	4	0	3	3	2	4	6	3	6	3	4	3
65 - 69	1	3	0	0	0	4	2	2	2	4	0	3	0	1	1	1
70 - 74	1	1	1	4	2	1	0	1	1	1	3	1	1	1	4	1
75 - 79	0	1	0	0	0	2	1	1	2	0	1	1	3	0	1	1
80 - 84	0	0	2	0	0	0	0	1	1	1	0	0	0	0	2	0
85+	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0

**Table A2.20**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Grodno oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0
10 - 14	1	0	0	0	1	1	0	1	0	1	1	0	0	3	3	3
15 - 19	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0
20 - 24	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
25 - 29	0	0	0	1	0	1	1	0	0	0	0	0	0	1	0	1
30 - 34	0	0	0	0	0	0	0	1	0	2	0	0	1	2	1	0
35 - 39	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0	1
40 - 44	0	0	0	0	0	1	1	0	0	1	1	2	1	0	0	1
45 - 49	0	0	0	0	2	0	0	0	2	0	1	0	1	2	0	0
50 - 54	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
55 - 59	1	0	1	0	2	0	0	1	0	0	1	1	1	0	0	0
60 - 64	0	0	0	0	1	0	0	0	0	1	1	1	1	0	1	0
65 - 69	0	1	0	0	0	0	1	1	0	0	0	1	0	0	0	1
70 - 74	1	0	1	0	0	1	0	0	1	0	0	0	0	0	1	0
75 - 79	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
80 - 84	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Table A2.21**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Grodno oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
10 - 14	0	0	0	0	0	0	0	1	0	0	1	3	2	1	1	1
15 - 19	0	1	0	0	0	0	0	0	0	2	2	1	1	0	3	2
20 - 24	0	0	0	0	1	1	0	1	0	0	4	2	1	1	3	0
25 - 29	0	0	0	2	2	3	0	1	0	2	1	0	4	3	0	1
30 - 34	0	3	1	0	2	3	0	1	4	5	3	4	8	4	3	2
35 - 39	0	1	0	0	0	1	0	1	1	4	2	5	7	4	4	1
40 - 44	0	0	0	1	0	1	1	1	3	1	5	5	4	5	3	5
45 - 49	0	0	0	3	1	0	0	0	0	0	7	3	3	6	4	2
50 - 54	1	0	1	2	0	3	0	3	1	1	1	3	13	0	1	2
55 - 59	0	1	2	1	1	3	2	1	2	4	1	3	7	5	5	0
60 - 64	0	1	4	1	3	0	3	3	2	3	5	2	5	3	3	3
65 - 69	1	2	0	0	0	4	1	1	2	4	0	2	0	1	1	0
70 - 74	0	1	0	4	2	0	0	1	0	1	3	1	1	1	3	1
75 - 79	0	1	0	0	0	2	1	1	2	0	0	1	3	0	0	1
80 - 84	0	0	1	0	0	0	0	1	0	1	0	0	0	0	2	0
85+	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0

**Table A2.22**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Minsk oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	1	3	10	4	3	0	0	0
10 - 14	0	0	0	3	0	0	2	1	2	3	4	7	7	11	7	12
15 - 19	0	0	0	2	0	1	2	0	1	0	4	9	3	5	5	7
20 - 24	2	3	3	1	2	0	1	2	4	5	1	7	7	8	5	5
25 - 29	9	5	5	5	3	3	5	2	4	1	1	2	10	6	17	10
30 - 34	2	6	1	5	7	5	2	5	8	12	8	17	15	19	4	11
35 - 39	2	2	3	5	2	2	6	2	7	9	22	21	19	27	19	24
40 - 44	4	6	3	1	4	5	12	7	7	15	13	20	27	20	21	30
45 - 49	2	8	6	4	6	4	2	4	6	5	25	11	16	24	27	34
50 - 54	6	7	3	5	7	7	10	4	5	14	6	8	18	15	15	26
55 - 59	3	3	9	4	3	8	8	3	7	9	13	15	16	21	21	21
60 - 64	2	8	6	6	3	2	11	4	9	7	14	15	15	12	19	18
65 - 69	3	6	6	5	2	4	3	5	7	6	7	9	15	14	12	11
70 - 74	3	5	2	1	4	9	5	4	7	5	6	8	8	4	8	8
75 - 79	1	3	0	1	1	1	3	2	0	3	2	4	6	6	1	1
80 - 84	0	4	1	1	1	1	2	2	1	2	2	3	3	2	0	3
85+	4	0	0	1	0	1	1	2	0	1	3	0	0	2	1	3

**Table A2.23**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Minsk oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	1	5	0	2	0	0	0
10 - 14	0	0	0	0	0	0	1	1	0	1	0	1	3	4	5	6
15 - 19	0	0	0	0	0	0	1	0	1	0	2	2	1	1	3	5
20 - 24	1	0	0	0	0	0	0	1	1	0	0	0	0	2	1	3
25 - 29	2	3	0	0	1	1	1	0	2	0	0	1	1	1	2	0
30 - 34	0	0	0	1	1	2	1	1	1	2	1	5	3	5	0	1
35 - 39	0	1	1	0	0	1	0	0	2	0	4	5	3	6	1	3
40 - 44	0	2	0	0	0	0	1	1	2	4	3	2	2	3	3	4
45 - 49	1	1	0	1	0	1	0	1	1	1	6	2	1	3	4	8
50 - 54	2	1	0	1	3	1	3	1	3	3	3	1	0	2	3	2
55 - 59	0	0	4	0	2	2	1	0	4	2	1	6	5	5	3	3
60 - 64	0	1	1	1	1	1	1	0	2	1	1	3	3	3	4	0
65 - 69	0	1	2	2	0	0	2	2	1	2	2	0	0	1	4	0
70 - 74	1	0	0	0	2	1	3	1	2	3	1	1	1	1	1	3
75 - 79	0	0	0	0	0	0	2	0	0	1	1	0	2	0	0	0
80 - 84	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	1
85+	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0

**Table A2.24**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Minsk oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	1	2	5	4	1	0	0	0
10 - 14	0	0	0	3	0	0	1	0	2	2	4	6	4	7	2	6
15 - 19	0	0	0	2	0	1	1	0	0	0	2	7	2	4	2	2
20 - 24	1	3	3	1	2	0	1	1	3	5	1	7	7	6	4	2
25 - 29	7	2	5	5	2	2	4	2	2	1	1	1	9	5	15	10
30 - 34	2	6	1	4	6	3	1	4	7	10	7	12	12	14	4	10
35 - 39	2	1	2	5	2	1	6	2	5	9	18	16	16	21	18	21
40 - 44	4	4	3	1	4	5	11	6	5	11	10	18	25	17	18	26
45 - 49	1	7	6	3	6	3	2	3	5	4	19	9	15	21	23	26
50 - 54	4	6	3	4	4	6	7	3	2	11	3	7	18	13	12	24
55 - 59	3	3	5	4	1	6	7	3	3	7	12	9	11	16	18	18
60 - 64	2	7	5	5	2	1	10	4	7	6	13	12	12	9	15	18
65 - 69	3	5	4	3	2	4	1	3	6	4	5	9	15	13	8	11
70 - 74	2	5	2	1	2	8	2	3	5	2	5	7	7	3	7	5
75 - 79	1	3	0	1	1	1	1	2	0	2	1	4	4	6	1	1
80 - 84	0	3	1	1	1	1	2	2	1	2	2	2	2	2	0	2
85+	2	0	0	1	0	1	1	1	0	0	3	0	0	2	1	3



**Table A2.25**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Mogiliov oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	1	0	4	1	0	0	0
10 - 14	0	0	0	0	0	1	0	0	2	0	0	2	2	6	3	4
15 - 19	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
20 - 24	0	0	0	1	0	0	0	1	0	1	1	1	6	3	2	4
25 - 29	0	0	0	1	0	2	2	2	0	1	0	3	4	1	1	4
30 - 34	2	0	2	3	0	1	3	3	2	4	3	2	9	9	5	4
35 - 39	1	2	0	1	1	1	0	0	1	1	7	6	5	12	8	5
40 - 44	0	1	0	0	1	2	0	2	3	4	4	6	9	9	13	15
45 - 49	1	2	4	1	2	1	0	1	2	1	1	5	5	4	14	7
50 - 54	2	3	1	2	2	4	1	1	5	3	2	2	6	8	8	4
55 - 59	2	2	0	2	1	2	4	5	0	4	2	7	8	5	9	12
60 - 64	0	2	1	3	3	1	5	3	3	1	3	4	4	11	7	9
65 - 69	0	1	2	3	1	3	2	5	3	3	0	7	6	6	6	3
70 - 74	1	3	1	1	6	1	0	2	2	3	1	4	2	4	5	4
75 - 79	3	2	2	1	1	4	3	0	4	1	2	1	2	1	3	1
80 - 84	1	1	2	1	2	2	0	0	1	0	0	1	4	3	2	0
85+	0	0	2	1	0	0	0	0	1	0	0	0	1	1	0	1

**Table A2.26**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Mogiliov oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	2	0	0	1	1	4	1	1
15 - 19	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
20 - 24	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
25 - 29	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
30 - 34	0	0	0	1	0	0	1	0	0	0	0	0	2	1	0	0
35 - 39	1	0	0	0	0	0	0	0	1	0	1	1	0	1	2	2
40 - 44	0	0	0	0	1	0	0	0	0	0	1	2	1	1	0	0
45 - 49	0	1	1	0	2	1	0	0	0	0	0	1	0	1	2	0
50 - 54	0	1	0	0	0	0	0	1	3	0	0	0	1	0	0	1
55 - 59	0	0	0	0	0	0	1	2	0	2	1	2	4	0	2	1
60 - 64	0	1	0	1	0	0	1	0	0	0	0	1	2	6	0	1
65 - 69	0	0	1	2	0	1	0	0	2	1	0	3	2	0	3	2
70 - 74	0	0	0	0	2	0	0	0	0	0	1	1	0	0	3	1
75 - 79	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
80 - 84	0	0	0	0	0	1	0	0	0	0	0	0	1	1	1	0
85+	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0

**Table A2.27**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Mogiliov oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0
10 - 14	0	0	0	0	0	1	0	0	0	0	0	1	1	2	2	3
15 - 19	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
20 - 24	0	0	0	1	0	0	0	0	0	1	0	1	6	3	2	4
25 - 29	0	0	0	1	0	2	2	2	0	1	0	3	3	0	1	4
30 - 34	2	0	2	2	0	1	2	3	2	4	3	2	7	8	5	4
35 - 39	0	2	0	1	1	1	0	0	0	1	6	5	5	11	6	3
40 - 44	0	1	0	0	0	2	0	2	3	4	3	4	8	8	13	15
45 - 49	1	1	3	1	0	0	0	1	2	1	1	4	5	3	12	7
50 - 54	2	2	1	2	2	4	1	0	2	3	2	2	5	8	8	3
55 - 59	2	2	0	2	1	2	3	3	0	2	1	5	4	5	7	11
60 - 64	0	1	1	2	3	1	4	3	3	1	3	3	2	5	7	8
65 - 69	0	1	1	1	1	2	2	5	1	2	0	4	4	6	3	1
70 - 74	1	3	1	1	4	1	0	2	2	3	0	3	2	4	2	3
75 - 79	2	2	2	1	1	4	3	0	4	1	1	1	2	1	3	1
80 - 84	1	1	2	1	2	1	0	0	1	0	0	1	3	2	1	0
85+	0	0	1	1	0	0	0	0	1	0	0	0	0	1	0	1

**Table A2.28**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Bryansk oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	1	0	0	0	0	0	0	1	3	1	2	0	0	0
10 - 14	0	0	0	0	0	1	0	0	1	0	0	0	7	8	2	7
15 - 19	0	0	0	1	1	1	0	0	1	2	0	5	8	2	3	3
20 - 24	0	1	0	0	1	0	0	3	1	1	4	3	5	6	3	6
25 - 29	3	1	2	1	5	4	5	3	3	7	4	5	4	6	5	5
30 - 34	1	2	1	2	4	6	5	9	5	5	9	10	7	9	5	7
35 - 39	3	2	1	3	1	9	10	7	8	8	7	15	16	13	6	17
40 - 44	1	2	2	0	1	5	5	6	7	6	16	10	7	15	13	14
45 - 49	3	1	1	0	6	7	4	6	6	3	6	8	15	17	12	18
50 - 54	6	3	4	2	6	6	10	5	7	13	12	8	11	5	6	7
55 - 59	7	3	1	4	4	12	6	7	7	7	7	13	10	11	14	9
60 - 64	3	5	2	2	3	11	5	16	7	9	14	11	8	9	11	18
65 - 69	3	3	1	0	4	4	6	5	1	6	6	14	3	14	9	14
70 - 74	3	0	2	2	4	4	3	4	0	1	2	6	7	9	8	4
75 - 79	4	0	2	2	5	1	5	5	3	4	1	2	3	1	2	4
80 - 84	1	0	0	2	3	3	3	1	0	3	0	1	0	3	1	0
85+	0	0	0	0	0	1	0	0	1	1	0	0	0	1	1	0

**Table A2.29**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Bryansk oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
10 - 14	0	0	0	0	0	1	0	0	1	0	0	0	4	4	1	4
15 - 19	0	0	0	0	1	0	0	0	0	1	0	2	1	0	1	0
20 - 24	0	0	0	0	0	0	0	0	0	0	2	1	0	2	0	2
25 - 29	1	0	0	0	2	0	1	1	0	1	0	0	1	0	1	0
30 - 34	0	0	0	0	1	0	1	0	0	0	3	0	0	1	0	3
35 - 39	1	0	0	1	0	0	2	1	1	2	1	2	3	1	0	2
40 - 44	0	0	1	0	0	0	1	1	0	2	2	1	0	3	2	4
45 - 49	2	0	0	0	2	0	0	0	0	0	0	1	2	3	2	2
50 - 54	2	0	0	2	1	1	1	0	2	0	2	0	2	1	0	0
55 - 59	1	0	0	1	1	3	1	2	2	1	2	2	2	3	1	0
60 - 64	0	2	1	0	0	1	1	1	1	1	2	1	0	3	1	2
65 - 69	1	0	1	0	1	3	2	1	0	1	1	3	1	3	1	4
70 - 74	1	0	0	0	0	0	0	1	0	0	1	0	0	1	2	1
75 - 79	1	0	1	0	1	0	0	0	0	2	0	0	0	0	0	1
80 - 84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Table A2.30**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Bryansk oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	1	0	0	0	0	0	0	1	3	0	2	0	0	0
10 - 14	0	0	0	0	0	0	0	0	0	0	0	0	3	4	1	3
15 - 19	0	0	0	1	0	1	0	0	1	1	0	3	7	2	2	3
20 - 24	0	1	0	0	1	0	0	3	1	1	2	2	5	4	3	4
25 - 29	2	1	2	1	3	4	4	2	3	6	4	5	3	6	4	5
30 - 34	1	2	1	2	3	6	4	9	5	5	6	10	7	8	5	4
35 - 39	2	2	1	2	1	9	8	6	7	6	6	13	13	12	6	15
40 - 44	1	2	1	0	1	5	4	5	7	4	14	9	7	12	11	10
45 - 49	1	1	1	0	4	7	4	6	6	3	6	7	13	14	10	16
50 - 54	4	3	4	0	5	5	9	5	5	13	10	8	9	4	6	7
55 - 59	6	3	1	3	3	9	5	5	5	6	5	11	8	8	13	9
60 - 64	3	3	1	2	3	10	4	15	6	8	12	10	8	6	10	16
65 - 69	2	3	0	0	3	1	4	4	1	5	5	11	2	11	8	10
70 - 74	2	0	2	2	4	4	3	3	0	1	1	6	7	8	6	3
75 - 79	3	0	1	2	4	1	5	5	3	2	1	2	3	1	2	3
80 - 84	1	0	0	2	3	3	3	1	0	3	0	1	0	3	1	0
85+	0	0	0	0	0	1	0	0	1	1	0	0	0	1	1	0

**Table A2.31**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Klauga oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
10 - 14	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
15 - 19	0	0	0	0	0	1	0	0	1	0	0	0	1	0	2	2
20 - 24	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1
25 - 29	2	2	0	1	0	1	0	2	1	0	0	0	2	0	1	1
30 - 34	0	0	2	2	3	0	0	1	0	1	1	2	1	0	1	0
35 - 39	1	2	1	1	2	3	2	2	1	0	1	5	3	1	4	6
40 - 44	1	1	0	1	0	1	1	1	2	2	7	5	2	2	1	3
45 - 49	0	2	0	2	0	0	2	0	2	1	1	2	5	3	4	1
50 - 54	5	2	0	0	2	2	2	3	0	1	4	2	3	3	3	6
55 - 59	2	2	2	0	1	2	2	1	1	3	1	5	2	1	7	4
60 - 64	3	1	1	1	0	1	3	3	1	0	1	6	1	2	0	3
65 - 69	0	0	1	2	0	1	1	3	3	0	0	4	3	2	3	2
70 - 74	2	1	0	1	0	1	2	2	1	2	1	1	1	5	0	4
75 - 79	1	1	0	2	0	1	1	2	0	1	2	0	3	1	1	2
80 - 84	0	0	2	1	1	0	1	0	0	0	1	1	3	0	1	0
85+	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0

**Table A2.32**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Klauga oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
10 - 14	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
15 - 19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
20 - 24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 - 29	0	0	0	1	0	1	0	1	0	0	0	0	1	0	0	1
30 - 34	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0
35 - 39	0	1	0	0	1	0	0	0	0	0	1	2	0	0	2	0
40 - 44	1	0	0	0	0	0	1	0	1	0	1	0	1	0	1	0
45 - 49	0	0	0	0	0	0	1	0	0	0	0	0	2	1	0	1
50 - 54	0	1	0	0	0	0	0	1	0	0	1	0	1	0	1	2
55 - 59	0	0	0	0	0	1	1	0	0	1	0	1	0	0	1	1
60 - 64	0	0	0	0	0	0	2	1	0	0	1	1	0	1	0	2
65 - 69	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0
70 - 74	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1
75 - 79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80 - 84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



**Table A2.33**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Klauga oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15 - 19	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0	1
20 - 24	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1
25 - 29	2	2	0	0	0	0	0	1	1	0	0	0	1	0	1	0
30 - 34	0	0	1	2	3	0	0	0	0	1	0	2	1	0	1	0
35 - 39	1	1	1	1	1	3	2	2	1	0	0	3	3	1	2	6
40 - 44	0	1	0	1	0	1	0	1	1	2	6	5	1	2	0	3
45 - 49	0	2	0	2	0	0	1	0	2	1	1	2	3	2	4	0
50 - 54	5	1	0	0	2	2	2	2	0	1	3	2	2	3	2	4
55 - 59	2	2	2	0	1	1	1	1	1	2	1	4	2	1	6	3
60 - 64	3	1	1	1	0	1	1	2	1	0	0	5	1	1	0	1
65 - 69	0	0	1	2	0	0	1	3	3	0	0	3	2	2	3	2
70 - 74	2	1	0	1	0	1	2	1	1	2	1	1	1	4	0	3
75 - 79	1	1	0	2	0	1	1	2	0	1	2	0	3	1	1	2
80 - 84	0	0	2	1	1	0	1	0	0	0	1	1	3	0	1	0
85+	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0

**Table A2.34**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Oriol oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	1	1	1	1	1	0	3	1
15 - 19	0	0	0	0	0	0	2	0	0	0	2	3	2	5	1	3
20 - 24	1	2	0	0	0	1	1	3	0	0	0	2	3	3	6	2
25 - 29	0	1	1	1	2	2	4	1	3	3	3	5	3	4	5	5
30 - 34	2	1	1	2	3	1	1	3	1	5	5	6	7	4	5	10
35 - 39	1	1	0	2	2	3	1	6	3	6	4	7	5	17	10	8
40 - 44	4	3	2	0	0	2	4	5	3	3	6	9	3	13	24	11
45 - 49	3	1	2	3	1	2	3	1	1	2	1	4	8	11	14	21
50 - 54	3	3	1	2	3	9	3	4	2	1	9	5	8	11	11	10
55 - 59	2	3	1	2	3	6	9	5	5	9	2	5	9	7	13	15
60 - 64	1	0	5	5	6	4	3	3	3	9	7	7	4	11	12	11
65 - 69	3	1	2	1	1	1	8	2	0	0	7	9	4	6	15	10
70 - 74	2	2	0	1	4	2	0	0	3	0	4	2	2	4	6	5
75 - 79	0	1	2	2	0	0	0	3	1	3	1	3	2	1	1	2
80 - 84	0	1	0	1	2	0	0	0	0	0	0	0	1	1	2	1
85+	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0

**Table A2.35**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Oriol oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
15 - 19	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
20 - 24	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0
25 - 29	0	0	0	1	0	1	0	0	0	0	1	1	0	0	1	2
30 - 34	2	1	0	1	0	1	0	0	0	4	0	0	0	0	0	1
35 - 39	0	0	0	0	0	1	0	0	1	2	0	0	0	2	0	0
40 - 44	0	0	0	0	0	0	1	1	1	0	1	0	1	4	2	2
45 - 49	1	0	0	0	0	0	0	0	0	1	0	0	2	0	3	3
50 - 54	0	1	0	2	0	2	1	0	0	0	0	1	2	0	2	1
55 - 59	0	1	0	1	1	2	1	1	2	3	0	0	1	1	3	4
60 - 64	0	0	1	1	2	0	1	1	1	1	3	2	1	1	2	2
65 - 69	1	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0
70 - 74	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
75 - 79	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
80 - 84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Table A2.36**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Oriol oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	1	0	1	1	1	0	2	1
15 - 19	0	0	0	0	0	0	2	0	0	0	1	3	2	5	1	3
20 - 24	1	2	0	0	0	0	1	2	0	0	0	2	3	2	6	2
25 - 29	0	1	1	0	2	1	4	1	3	3	2	4	3	4	4	3
30 - 34	0	0	1	1	3	0	1	3	1	1	5	6	7	4	5	9
35 - 39	1	1	0	2	2	2	1	6	2	4	4	7	5	15	10	8
40 - 44	4	3	2	0	0	2	3	4	2	3	5	9	2	9	22	9
45 - 49	2	1	2	3	1	2	3	1	1	1	1	4	6	11	11	18
50 - 54	3	2	1	0	3	7	2	4	2	1	9	4	6	11	9	9
55 - 59	2	2	1	1	2	4	8	4	3	6	2	5	8	6	10	11
60 - 64	1	0	4	4	4	4	2	2	2	8	4	5	3	10	10	9
65 - 69	2	1	2	1	1	1	8	1	0	0	7	8	4	5	15	10
70 - 74	2	2	0	1	4	2	0	0	2	0	4	2	2	4	6	5
75 - 79	0	1	2	2	0	0	0	3	0	3	1	3	2	1	1	2
80 - 84	0	1	0	1	2	0	0	0	0	0	0	0	1	1	2	1
85+	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0

**Table A2.37**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Tula oblast. Both sexes**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	1	1	1	0	0	1	5	2	0
15 - 19	0	0	0	1	1	0	0	0	0	1	0	0	3	0	2	5
20 - 24	2	0	0	0	1	0	1	2	2	4	2	3	3	2	2	1
25 - 29	2	3	0	5	4	1	0	0	2	1	3	4	8	9	3	4
30 - 34	2	4	2	2	4	1	1	1	2	3	6	6	2	9	5	3
35 - 39	1	3	3	7	2	7	5	7	4	4	10	11	6	10	11	5
40 - 44	3	3	2	8	4	4	5	4	10	7	12	15	16	15	20	11
45 - 49	4	6	7	7	7	7	5	3	3	8	6	13	13	27	22	18
50 - 54	3	5	5	9	3	10	7	3	14	4	6	17	5	9	6	13
55 - 59	3	3	6	2	7	5	7	3	8	9	11	9	18	19	18	10
60 - 64	1	1	1	4	4	7	4	2	5	3	9	9	12	12	6	12
65 - 69	0	3	0	1	0	0	1	1	8	6	12	14	11	13	15	14
70 - 74	0	1	0	0	1	2	1	1	1	1	4	4	5	5	6	12
75 - 79	0	0	0	1	1	0	0	0	0	3	3	2	2	3	2	1
80 - 84	0	0	0	0	0	0	0	0	1	4	2	1	1	2	1	3
85+	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1

**Table A2.38**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Tula oblast. Males**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0
15 - 19	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0
20 - 24	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0
25 - 29	0	0	0	0	2	0	0	0	0	0	1	1	2	1	0	0
30 - 34	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	0
35 - 39	0	0	0	0	0	1	0	1	0	1	2	2	1	2	2	2
40 - 44	0	1	0	0	0	1	0	0	3	0	1	1	4	3	1	3
45 - 49	1	0	0	1	1	0	0	0	1	1	3	0	2	5	3	1
50 - 54	0	1	0	2	0	2	1	0	4	1	1	1	0	1	2	2
55 - 59	1	1	1	0	0	1	1	0	1	2	2	1	2	2	4	3
60 - 64	1	0	1	1	2	0	0	1	1	0	3	1	3	1	1	2
65 - 69	0	0	0	1	0	0	0	0	0	0	1	4	1	2	4	2
70 - 74	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
75 - 79	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
80 - 84	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
85+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Table A2.39**  
**Distribution of thyroid cancer cases by age groups (age at diagnosis) from 1982 to 1997.**  
**Tula oblast. Females**

	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
0 - 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 - 9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 - 14	0	0	0	0	0	0	0	1	1	1	0	0	1	2	1	0
15 - 19	0	0	0	0	1	0	0	0	0	0	0	0	2	0	2	5
20 - 24	2	0	0	0	1	0	1	2	2	2	2	3	2	1	2	1
25 - 29	2	3	0	5	2	1	0	0	2	1	2	3	6	8	3	4
30 - 34	2	4	2	1	4	1	1	1	2	3	6	6	1	8	4	3
35 - 39	1	3	3	7	2	6	5	6	4	3	8	9	5	8	9	3
40 - 44	3	2	2	8	4	3	5	4	7	7	11	14	12	12	19	8
45 - 49	3	6	7	6	6	7	5	3	2	7	3	13	11	22	19	17
50 - 54	3	4	5	7	3	8	6	3	10	3	5	16	5	8	4	11
55 - 59	2	2	5	2	7	4	6	3	7	7	9	8	16	17	14	7
60 - 64	0	1	0	3	2	7	4	1	4	3	6	8	9	11	5	10
65 - 69	0	3	0	0	0	0	1	1	8	6	11	10	10	11	11	12
70 - 74	0	1	0	0	1	2	1	1	1	1	4	4	5	4	5	11
75 - 79	0	0	0	1	1	0	0	0	0	3	3	1	2	3	2	0
80 - 84	0	0	0	0	0	0	0	0	0	4	2	1	1	0	1	3
85+	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1